

DERMATOLOGICAL AND ALLERGOLOGICAL

EXPERT REPORT

COSMETIC - TEST - GMBH

Institute for Scientific Dermatological Research
Danzigerstr. 13
D-73054 Eislingen
Tel. Göppingen office: 07161/67846
Tel Eislingen office: 07161/814081
Fax Eislingen office: 07161/814004

Dermatological and allergological expert report

P A T C H T E S T

(Test of primary imitation and contact allergy by single epidermal contact)

Preparation: ZUBORA 10 H ULTRA (SN 23370)

Client: Zeller + Gmelin GmbH & Co. KG
Schloßstr. 20
73054 Eislingen

Test subjects: 30 subjects with healthy skin

Test concentration: 10% diluted with tap water

Eislingen, Germany december, 1st, 2009

Cosmetic-Test-GmbH
Institute for Dermatological and Allergological Investigations

Dr. med. Tilman M. Ertle



App: Principle and methodology/Evaluation criteria/Test results

Cosmetic-Test-Institut GmbH, HR Göppingen Nr. B 1762
Institute for Dermatological and Allergological Investigations
Manager: Jutta Ertle - Bernitt
Project manager: Dr. med. Tilman M. Ertle, Dermatologist - Allergologist -
Environmental Medicine

Expert report: ZUBORA 10 H ULTRA (SN 23370)

Client: Zeller + Gmelin GmbH & Co. KG



Page 2

Test principle

The patch test is a model used to detect a primary irritant effect or contact allergy (due to provocation of allergic skin reactions in patients who are already sensitised) by epidermal, local and limited contact with the test preparation.

To promote absorption of the test substances, they are applied under occlusive conditions.

The substances selected for testing are tested in subtoxic (i.e. not irritant) concentration on the skin.

Test method

The test preparation is applied undiluted or in the necessary dilution onto the clinically healthy skin using a commercially available test plaster (e.g. Curatest, manufactured by Lohmann).

Test location and procedure

Test plasters are applied to the back or to the inner surface of the upper arm.

The plasters are removed after an exposure time of 48 hours and the skin is assessed for the first time. A second assessment occurs 72 hours after the start of test. Assessment is always made by a dermatologist and allergology specialist.

Evaluation criteria

0	no irritation, negative
-/+	weak or doubtful erythema
+	clear erythema
++	severe erythema or papulation
+++	densely dispersed papules and/or vesiculation
++++	blistering or necrosis

Expert report:

ZUBORA 10 H ULTRA (SN 23370)



Client:

Zeller + Gmelin GmbH & Co. KG

Page 3

Test results

subjects	initials	sex m/f	test reactions	
			48h	72h
1.	N.A.	f	0	0
2.	L.A.	m	0	0
3.	N.R.	f	0	0
4.	N.E.	m	0	0
5.	A.T.	f	0	0
6.	E.I.	f	0	0
7.	R.A.	f	0	0
8.	U.R.	f	0	0
9.	U.T.	f	0	0
10.	E.R.	m	0	0
11.	F.T.	f	0	0
12.	T.L.	m	0	0
13.	L.O.	m	0	0
14.	A.A.	f	0	0
15.	R.A.	f	0	0
16.	D.R.	f	0	0
17.	A.B.	f	0	0
18.	O.R.	m	0	0
19.	A.R.	m	0	0
20.	U.A.	m	0	0
21.	L.U.	f	0	0
22.	O.A.	f	0	0
23.	L.L.	f	0	0
24.	H.R.	m	0	0
25.	A.I.	f	0	0
26.	O.T.	m	0	0
27.	U.E.	f	0	0
28.	U.R.	m	0	0
29.	O.C.	f	0	0
30.	E.L.	f	0	0



Expert report: **ZUBORA 10 H ULTRA (SN 23370)**

Client: **Zeller + Gmelin GmbH & Co. KG**

Page 4

Test results

The preparation was well tolerated by all subjects. no case of adverse skin reactions occurred.

The result demonstrates that the preparation will not lead to undesirable skin reactions by irritant potency in normal use.

The result does not exclude the induction of an allergic or irritant reaction by the preparation caused by increase of concentration or long lasting use of product.

