

DERMATOLOGICAL AND ALLERGOLOGICAL

EXPERT REPORT

COSMETIC - TEST - GMBH

Institute for Scientific Dermatological Research
Danzigerstr. 13
D-73054 Eisingen
Tel. Göppingen office: 07161/67846
Tel Eisingen office: 07161/814081
Fax Eisingen office: 07161/814004

Dermatological and allergological expert report

P A T C H T E S T

(Test of primary imitation and contact allergy by single epidermal contact)

Preparation: MULTICUT ULTRA 7 (SN 26950)

Client: Zeller + Gmelin GmbH & Co. KG
Schloßstr. 20
73054 Eisingen


Test subjects: 30 subjects with healthy skin

Test concentration: as is

Eisingen, Germany march. 11th, 2010

Cosmetic-Test-GmbH
Institute for Dermatological and Allergological Investigations

Dr. med. Tilman M. Ertle




App: Principle and methodology/Evaluation criteria/Test results

Cosmetic-Test-Institut GmbH, HR Göppingen Nr. B 1762
Institute for Dermatological and Allergological Investigations
Manager: Jutta Ertle - Bernitt
Project manager: Dr. med. Tilman M. Ertle, Dermatologist - Allergologist -
Environmental Medicine

Expert report:

MULTICUT ULTRA 7 (SN 26950)



Client:

Zeller + Gmelin GmbH & Co. KG

Page 3

Test results

subjects	initials	sex m/f	test reactions	
			48h	72h
1.	I.K.	f	0	0
2.	M.S.	f	0	0
3.	G.T.	m	0	0
4.	S.Z.	f	0	0
5.	T.S.	m	0	0
6.	C.B.	f	0	0
7.	E.F.	f	0	0
8.	J.E.	f	0	0
9.	T.E.	m	0	0
10.	N.N.	f	0	0
11.	R.R.	m	0	0
12.	C.M.	f	0	0
13.	B.M.	f	0	0
14.	E.K.	f	0	0
15.	B.D.	f	0	0
16.	R.S.	f	0	0
17.	A.K.	m	0	0
18.	A.T.	f	0	0
19.	A.Z.	m	0	0
20.	D.S.	f	0	0
21.	B.B.	f	0	0
22.	E.A.	m	0	0
23.	C.K.	m	0	0
24.	U.E.	f	0	0
25.	E.E.	f	0	0
26.	S.E.	m	0	0
27.	U.H.	f	0	0
28.	J.M.	m	0	0
29.	M.K.	m	0	0
30.	G.K.	m	0	0

Expert report:

MULTICUT ULTRA 7 (SN 26950)



Client:

Zeller + Gmelin GmbH & Co. KG

Page 4

Test results

The preparation was well tolerated by all subjects. no case of adverse skin reactions occurred.

The result demonstrates that the preparation will not lead to undesirable skin reactions by irritant potency in normal use.

The result does not exclude the induction of an allergic or irritant reaction by the preparation caused by increase of concentration or long lasting use of product.

