according to Regulation (EC) No 1907/2006

Revision date: 16.01.2019

Multidraw VSV 77R

Article No.: 06510

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

06510 Multidraw VSV 77R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Water-soluble cooling lubricant

1.3. Details of the supplier of the safety data sheet

Company name:	Zeller+Gmelin GmbH & Co. KG	
Street:	Schlossstr. 20	
Place:	D-73054 Eislingen	
Telephone:	+49 (0) 7161 / 802-0	Telefax: +49 (0) 7161 / 802-290
e-mail:	info@zeller-gmelin.de	
Contact person:	Uwe Allmendinger	Telephone: +49 (0) 7161 / 802-297
e-mail:	produktsicherheit@zeller-gmelin.de	
Internet:	www.zeller-gmelin.de	
Responsible Department:	Produktsicherheit / Product Safety	
1.4. Emergency telephone	Germany: +49 (0) 7161 / 802-400	
number:	• • • •	45 4647 or 111 In Scotland: NHS 24 - 08454
	24 24 24 In Republic of Ireland: 01 809	2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1B Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling ethylenediamine

Signal word:

Pictograms:

Warning



Hazard statements

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid breathing mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

according to Regulation (EC) No 1907/2006

Revision date:	Multidraw VSV 77R	
16.01.2019	Article No.: 06510	Page 2 of 9

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

P337+P313

Results of PBT and vPvB assessment: not applicable.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Water-soluble cooling lubricant

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification		•	
107-15-3	ethylenediamine (neutralized)			2.5 - < 5 %
	203-468-6	612-006-00-6	01-2119480383-37	
	Flam. Liq. 3, Acute Tox. 3, Acute To 1B, Aquatic Chronic 3; H226 H311			
111-42-2	2,2'-iminodiethanol (neutralized)			2.5 - < 5 %
	203-868-0	603-071-00-1	01-2119488930-28	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H412			
107-41-5	2-methylpentane-2,4-diol	1 - < 2.5 %		
	203-489-0	603-053-00-3	01-2119539582-35	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
61791-26-2	amines, tallow alkyl, ethoxylated			1 - < 2.5 %
	500-153-8			
	Acute Tox. 4, Skin Irrit. 2, Eye Darr H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

according to Regulation (EC) No 1907/2006

Revision date:
16 01 2010

Multidraw VSV 77R

Article No.: 06510

Page 3 of 9

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-41-5	2-Methylpentane-2,4-diol	25	123		TWA (8 h)	WEL
		25	123		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

Revision date:	Multidraw VSV 77R	
16.01.2019	Article No.: 06510	Page 4 of 9

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
107-41-5	2-methylpentane-2,4-diol				
Worker DNE	L, long-term	inhalation	systemic	14 mg/m³	
Worker DNE	L, long-term	inhalation	local	49 mg/m³	
Consumer D	NEL, acute	inhalation	systemic	49 mg/m³	
Consumer D	NEL, long-term	inhalation	systemic	3,5 mg/m³	
Consumer D	NEL, long-term	oral	systemic	1 mg/kg bw/day	
Worker DNE	L, long-term	dermal	systemic	2 mg/kg bw/day	
Consumer D	NEL, long-term	inhalation	local	25 mg/m³	
Consumer D	NEL, long-term	dermal	systemic	1 mg/kg bw/day	
	, o	definidi	oyotenno	T mg/kg bw/dd	

PNEC values

CAS No	Substance		
Environmental compartment Value			
107-41-5	2-methylpentane-2,4-diol		
Freshwater 0,429 mg/l			
Marine water 0,0429 mg/l		0,0429 mg/l	
Marine sediment 0,179 mg/kg		0,179 mg/kg	
Soil 0		0,11 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

See chapter 7. No additional measures necessary.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Eye/face protection

Eye glasses with side protection.

Hand protection

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow-brownish
Odour:	characteristic

Test method

according to Regulation (EC) No 1907/2006

Revision date:	Multidraw VSV 77R	
16.01.2019	Article No.: 06510	Page 5 of 9
pH-Value:	8,3	DIN 51369 (100 g/L)
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Pour point:	not applicable	
Flash point:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Ignition temperature:	not determined	
Decomposition temperature:	No information available.	
Vapour pressure:	not determined	
Density (at 15 °C):	1,03 g/cm³	DIN EN ISO 12185
Water solubility:	miscible	
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Revision date	
16 01 2019	

Multidraw VSV 77R

Article No.: 06510

Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
107-15-3	ethylenediamine (neutralized)					
	oral	LD50 mg/kg	1200	Rat	GESTIS	
	dermal	ATE mg/kg	300			
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1,5 mg/l			
111-42-2	2,2'-iminodiethanol (ne	eutralized)				
	oral	LD50 mg/kg	676	Rat		
	dermal	LD50 mg/kg	8328	Rabbit		
107-41-5	2-methylpentane-2,4-diol				•	
	oral	LD50 mg/kg	3700	Rat		
	dermal	LD50 mg/kg	8000	Rabbit		
61791-26-2	amines, tallow alkyl, ethoxylated					
	oral	ATE mg/kg	500			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (ethylenediamine (neutralized))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

according to Regulation (EC) No 1907/2006

Revision date:	Multidraw VSV 77R
16.01.2019	Article No.: 06510

Page 7 of 9

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-15-3	ethylenediamine (neutralized)	-2,04
111-42-2	2,2'-iminodiethanol (neutralized)	-1,43
107-41-5	2-methylpentane-2,4-diol	0,58

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

120110

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

Waste disposal number of waste from residues/unused products

WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; synthetic machining oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine pollutant:	NO		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
14.6. Special precautions for user			
No data available			
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code			
No data available			

according to Regulation (EC) No 1907/2006

Revision date:	
16.01.2019	

Multidraw VSV 77R

Article No.: 06510

Page 8 of 9

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Authorisations (REACH, annex XIV):	
Substances of very high concern, SVH ethylenediamine (neutralized)	C (REACH, article 59):
2010/75/EU (VOC):	0 %
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Water contaminating class (D):	2 - clearly water contaminating
15.2. Chemical safety assessment	

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,9,11,15.

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organization CAS: Chemical Abstracts Service (a division of the American Chemical Society) DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit ATE: Acute Toxicity Estimate LD50: Lethal Dose, 50% (median lethal dose) LC50: Lethal Concentration, 50% (median lethal concentration) EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1B; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

Revision date:	Multidraw VSV 77R		
16.01.2019	Article No.: 06510	Page 9 of 9	
H332	Harmful if inhaled.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Further Informatio	n		
Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,			

Authorisation and Restriction of Chemicals (REACH).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)