

according to Regulation (EC) No 1907/2006

Revision date: Multidraw ST 10 Extra

26.04.2017 Article No.: 26970 Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

26970 Multidraw ST 10 Extra

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Non water miscible coolant

## 1.3. Details of the supplier of the safety data sheet

Company name: Zeller+Gmelin GmbH & Co. KG

 Street:
 Schlossstr. 20

 Place:
 D-73054 Eislingen

 Telephone:
 +49 (0) 7161 / 802-0

Telephone: +49 (0) 7161 / 802-0 Telefax: +49 (0) 7161 / 802-290

e-mail: info@zeller-gmelin.de

Contact person: Uwe Allmendinger Telephone: +49 (0) 7161 / 802-297

e-mail: produktsicherheit@zeller-gmelin.de

Internet: www.zeller-gmelin.de

Responsible Department: Produktsicherheit / Product Safety

1.4. Emergency telephone Germany: +49 (0) 7161 / 802-400

number: In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24 - 08454

24 24 24 In Republic of Ireland: 01 809 2166

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

## Hazard components for labelling

hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)

Signal word: Danger

Pictograms:



### **Hazard statements**

H304 May be fatal if swallowed and enters airways.

### **Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends,

sulfonated, calcium salts. May produce an allergic reaction.

## 2.3. Other hazards

Results of PBT and vPvB assessment: not applicable.

## **SECTION 3: Composition/information on ingredients**



according to Regulation (EC) No 1907/2006

Revision date: Multidraw ST 10 Extra
26.04.2017 Article No.: 26970 Page 2 of 7

#### 3.2. Mixtures

#### **Chemical characterization**

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

#### **Hazardous components**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification			
	hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)			25 - <= 100 %
	920-360-0		01-2119448343-41	
	Asp. Tox. 1; H304 EUH066			
148520-84-7	benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts			0.1 - < 0.3 %
	800-941-4			
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

## Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.



according to Regulation (EC) No 1907/2006

Revision date: Multidraw ST 10 Extra

26.04.2017 Article No.: 26970 Page 3 of 7

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

### Advice on protection against fire and explosion

It is possible to release flammable substances via distillation in systems with solvent recovery. Risk of accumulation in the solvent circuit. Formation of trimethylpentene is possible.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

Observe technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.2. Exposure controls

### Appropriate engineering controls

See chapter 7. No additional measures necessary.

### Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

## Eye/face protection

Eye glasses with side protection.

### Hand protection

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Skin protection

Protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

Print date: 22.03.2019



according to Regulation (EC) No 1907/2006

Revision date: Multidraw ST 10 Extra

26.04.2017 Article No.: 26970 Page 4 of 7

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: characteristic

Test method

Print date: 22.03.2019

pH-Value: not applicable

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Pour point:

not determined

not determined

not determined

Flash point: > 120 °C EN ISO 2592

Lower explosion limits: 0,6 vol. %
Upper explosion limits: 6,5 vol. %
Ignition temperature: not determined
Decomposition temperature: No information available.
Vapour pressure: < 0,1 hPa

(at 20 °C)

Density (at 15 °C): 0,86 g/cm³ DIN EN ISO 12185

Water solubility: insoluble
Partition coefficient: not determined
Viscosity / dynamic: not determined

Viscosity / kinematic: 10,4 mm²/s ASTM D 7042

(at 40 °C)

Flow time: not determined Vapour density: not determined Evaporation rate: not determined

### 9.2. Other information

No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

No information available.

# 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

## 10.4. Conditions to avoid

Heat.

# 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No information available.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

Revision date: Multidraw ST 10 Extra
26.04.2017 Article No.: 26970 Page 5 of 7

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)				
	oral	LD50 > 4150 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 > 2000,0 mg/kg	Rabbit	ECHA Dossier	
	inhalation (4 h) aerosol	LC50 > 5,28 mg/l	Rat	ECHA Dossier	

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Contains benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts. May produce an allergic reaction.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

### **Aspiration hazard**

May be fatal if swallowed and enters airways. (hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%))

# **Practical experience**

#### Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	-	=	
	hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics,	aromatics (2-30%)		
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	60,7%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).	-	-	

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)	> 3,50

## 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

No data available



according to Regulation (EC) No 1907/2006

Revision date: Multidraw ST 10 Extra

26.04.2017 Article No.: 26970 Page 6 of 7

### 12.6. Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

### Waste disposal number of waste from residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions);

hazardous waste

## Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine pollutant: NO

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

# 14.6. Special precautions for user

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

2010/75/EU (VOC): 0 %

**National regulatory information** 

Water contaminating class (D): 1 - slightly water contaminating



according to Regulation (EC) No 1907/2006

Revision date: Multidraw ST 10 Extra

26.04.2017 Article No.: 26970 Page 7 of 7

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,9,11.

## Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

CAS: Chemical Abstracts Service (a division of the American Chemical Society)

DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure	
Asp. Tox. 1; H304	Calculation method	

## Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends,

sulfonated, calcium salts. May produce an allergic reaction.

### **Further Information**

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

\_\_\_\_\_\_

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)