

according to Regulation (EC) No 1907/2006

Revision date: 15.09.2017

Zubora 30 Spezial

Article No.: 90241

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

90241 Zubora 30 Spezial

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water-soluble cooling lubricant.

1.3. Details of the supplier of the safety data sheet

Company name:	Zeller+Gmelin GmbH & Co. KG	
Street:	Schlossstr. 20	
Place:	D-73054 Eislingen	
Telephone:	+49 (0) 7161 / 802-0	Telefax: +49 (0) 7161 / 802-290
e-mail:	info@zeller-gmelin.de	
Contact person:	Uwe Allmendinger	Telephone: +49 (0) 7161 / 802-297
e-mail:	produktsicherheit@zeller-gmelin.de	
Internet:	www.zeller-gmelin.de	
Responsible Department:	Produktsicherheit / Product Safety	
1.4. Emergency telephone	Germany: +49 (0) 7161 / 802-400	
number:	In England and Wales: NHS Direct: (0845 4647 or 111 In Scotland: NHS 24 -
	08454 24 24 24 In Republic of Irelan	d: 01 809 2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:





Warning

Hazard statements

H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

Contains 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

2.3. Other hazards

EUH208

Results of PBT and vPvB assessment: not applicable.

SECTION 3: Composition/information on ingredients

according to Regulation (EC) No 1907/2006

Revision date:	Zubora 30 Spezial	
15.09.2017	Article No.: 90241	Page 2 of 9

3.2. Mixtures

Chemical characterization

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regu			
64742-53-6	distillates (petroleum), hydrotrea	ted light naphthenic		10 - < 20 %
	265-156-6	649-466-00-2	01-2119480375-34	
	Asp. Tox. 1; H304			
64742-56-9	distillates (petroleum), solvent-de	ewaxed light paraffinic		10 - < 20 %
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304			
122-99-6	2-phenoxyethanol			5 - < 10 %
	204-589-7	603-098-00-9	01-2119488943-21	
	Acute Tox. 4, Eye Irrit. 2; H302 H			
68920-66-1	alcohols, C16-18 and C18-unsat	5 - < 10 %		
	Skin Irrit. 2, Aquatic Acute 1, Aqu	atic Chronic 3; H315 H400 H4	112	
68608-26-4	sulfonic acids, petroleum, sodiur	5 - < 10 %		
	271-781-5		01-2119527859-22	
	Eye Irrit. 2; H319			
68920-66-1	alcohols, C16-18 and C18-unsat	1 - < 2.5 %		
	500-236-9		01-2119489407-26	
	Skin Irrit. 2, Aquatic Chronic 2; H	315 H411		
55406-53-6	3-iodo-2-propynyl butylcarbamat	е		0.1 - < 0.3 %
	259-627-5	616-212-00-7		
	Acute Tox. 3, Acute Tox. 4, Eye I 10), Aquatic Chronic 1 (M-Facto			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.



according to Regulation (EC) No 1907/2006

Zubora 30 Spezial

Revision date: 15.09.2017

Article No.: 90241

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PNEC values

CAS No	Substance				
Environmental compartment Value					
68920-66-1 alcohols, C16-18 and C18-unsaturated, ethoxylated (< 2,5 EO)					
Freshwater sediment 6,33 mg/kg					
Marine sediment 6,33 mg/kg					
Soil	1 mg/kg				

according to Regulation (EC) No 1907/2006

Revision date:		
15.09.2017		

Zubora 30 Spezial

Article No.: 90241

Page 4 of 9

8.2. Exposure controls

Appropriate engineering controls

See chapter 7. No additional measures necessary.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Eye/face protection

Eye glasses with side protection.

Hand protection

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour:	brown		
Odour:	characteristic		
			Test method
pH-Value (at 20 °C):		9,1	DIN 51369 (50 g/L)
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	
Pour point:		not determined	
Flash point:		not applicable	EN ISO 2592
Lower explosion limits:		0,6 vol. %	
Upper explosion limits:		6,5 vol. %	
Ignition temperature:		not determined	
Decomposition temperature:		No information available.	
Vapour pressure:		not determined	
Density (at 15 °C):		0,97 g/cm³	DIN EN ISO 12185
Water solubility:		miscible	
Partition coefficient:		not determined	
Viscosity / dynamic:		not determined	
Viscosity / kinematic: (at 20 °C)		300 mm²/s	ASTM D 7042
Flow time:		not determined	
Vapour density:		not determined	
Evaporation rate:		not determined	
9.2. Other information			



according to Regulation (EC) No 1907/2006

Zubora 30 Spezial

Revision date: 15.09.2017

Article No.: 90241

Page 5 of 9

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-56-9	distillates (petroleum), so	lvent-dewax	ed light para	ffinic		
	oral	LD50 mg/kg	>5000,0	Rat		
	dermal	LD50 mg/kg	>5000,0	Rabbit		
122-99-6	2-phenoxyethanol					
	oral	LD50 mg/kg	1850	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
68920-66-1	alcohols, C16-18 and C1	8-unsaturate	d, ethoxylate	ed (< 2,5 EO)		
	oral	LD50 mg/kg	>2000,0	Rat		
55406-53-6	3-iodo-2-propynyl butylca	arbamate				
	oral	LD50 mg/kg	>300-500	Rat		
	dermal	LD50 mg/kg	>5000	Rat		
	inhalative vapour	ATE	3 mg/l			
	inhalative (4 h) aerosol	LC50	0,67 mg/l			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Revision date:	Zubora 30 Spezial	
15.09.2017	Article No.: 90241	Page 6 of 9

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
55406-53-6	3-iodo-2-propynyl butylca	3-iodo-2-propynyl butylcarbamate					
	Acute fish toxicity	LC50 mg/l	0,067		Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	0,022		Scenedesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	0,16		Daphnia magna (Big water flea)	OECD 202	
	Fish toxicity	NOEC mg/l	0,0084	35 d			
	Algea toxicity	NOEC mg/l	0,0046	72 d			
	Crustacea toxicity	NOEC mg/l	0,05	21 d			

12.2. Persistence and degradability

There are no data available on the mixture itself.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
68920-66-1	-66-1 alcohols, C16-18 and C18-unsaturated, ethoxylated (>5-9 EO)							
	Biodegradation 73,0 %							
	Readily biodegradable (according to OECD criteria).							
	Chemical oyxgen demand (COD)	2470 mg/g						
68920-66-1	alcohols, C16-18 and C18-unsaturated, ethoxylated (< 2,	5 EO)						
	BOD5/COD ratio:	>60,0 %						
	DOC reduction. >70,0 %							
	Readily biodegradable (according to OECD criteria).							

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-56-9 distillates (petroleum), solvent-dewaxed light paraffinic		>3,50
122-99-6	22-99-6 2-phenoxyethanol	
68920-66-1	68920-66-1 alcohols, C16-18 and C18-unsaturated, ethoxylated (>5-9 EO)	
55406-53-6	3-iodo-2-propynyl butylcarbamate	2,88

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

according to Regulation (EC) No 1907/2006

Revision date: 15.09.2017

Zubora 30 Spezial

Article No.: 90241

Page 7 of 9

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

Waste disposal number of waste from residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

Waste disposal number of used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS: wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

No dangerous good in sense of this transport regulation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine pollutant: NO Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no 14.6. Special precautions for user No data available 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

0 %

EU regulatory information 2010/75/EU (VOC): National regulatory information

Revision No: 5,1 - Replaces version: 4



according to Regulation (EC) No 1907/2006

Revision date:	Zubora 30 Spezial		
15.09.2017	Article No.: 90241	Page 8 of 9	
Water contaminating class (D):	2 - clearly water contaminating		

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9.

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organization CAS: Chemical Abstracts Service (a division of the American Chemical Society) DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit ATE: Acute Toxicity Estimate LD50: Lethal Dose, 50% (median lethal dose) LC50: Lethal Concentration, 50% (median lethal concentration) EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

-	cievant in and Eon statements (namber and fair text)				
	H302	Harmful if swallowed.			
	H304	May be fatal if swallowed and enters airways.			
	H315	Causes skin irritation.			
	H317	May cause an allergic skin reaction.			
	H318	Causes serious eye damage.			
	H319	Causes serious eye irritation.			
	H331	Toxic if inhaled.			
	H372	Causes damage to organs through prolonged or repeated exposure.			
	H400	Very toxic to aquatic life.			
	H410	Very toxic to aquatic life with long lasting effects.			
	H411	Toxic to aquatic life with long lasting effects.			
	H412	Harmful to aquatic life with long lasting effects.			
	EUH208	Contains 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.			

Further Information

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to Regulation (EC) No 1907/2006

Revision date:	Zubora 30 Spezial	
15.09.2017	Article No.: 90241	Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)