

Revision date:  
03.07.2018**Multicor LH 3**  
**Article No.: 97120**

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

97120 Multicor LH 3

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Corrosion protection agent

**1.3. Details of the supplier of the safety data sheet**

Company name:	Zeller+Gmelin GmbH & Co. KG	
Street:	Schlossstr. 20	
Place:	D-73054 Eislingen	
Telephone:	+49 (0) 7161 / 802-0	Telefax: +49 (0) 7161 / 802-290
e-mail:	info@zeller-gmelin.de	
Contact person:	Uwe Allmendinger	Telephone: +49 (0) 7161 / 802-297
e-mail:	produktsicherheit@zeller-gmelin.de	
Internet:	www.zeller-gmelin.de	
Responsible Department:	Produktsicherheit / Product Safety	

**1.4. Emergency telephone number:**Germany: +49 (0) 7161 / 802-400  
In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24 - 08454 24 24 24 In Republic of Ireland: 01 809 2166**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May be fatal if swallowed and enters airways.


Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

hydrocarbons, C11-C14, isoalkanes, cyclics, &lt;2% aromatics

**Signal word:** Danger**Pictograms:****Hazard statements**

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Revision date:  
03.07.2018

**Multicor LH 3**
**Article No.: 97120**

Page 2 of 9

P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P331 Do NOT induce vomiting.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

**Special labelling of certain mixtures**

EUH208 Contains sulfonic acids, petroleum, calcium salts, TBN < 300. May produce an allergic reaction.

**2.3. Other hazards**

Results of PBT and vPvB assessment: not applicable.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Hydrocarbon-based mixture.

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics			25 - <= 100 %
	927-285-2		01-2119480162-45	
	Asp. Tox. 1; H304 EUH066			
111-76-2	2-Butoxy-ethanol			10 - < 20 %
	203-905-0	603-014-00-0	01-2119475108-36	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319			
1474044-79-5	calcium bis(dinonylnaphthalenesulphonate)			1 - < 2.5 %
	939-717-7		01-2119980985-16	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
1290049-56-7	amines, N-(C16-18 (even numbered) and C18-unsaturated alkyl) trimethylenedi-, ethoxylated (NLP)			0.3 - < 1 %
	800-029-6		01-2119962190-43	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT RE 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1; H302 H314 H318 H372 H400 H410			
61789-86-4	Sulfonsäuren, Erdöl-, Calciumsalze, TBN < 300			0.3 - < 1 %
	263-093-9		01-2119488992-18	
	Skin Sens. 1B; H317			
110-25-8	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine			0.3 - < 1 %
	203-749-3		01-2119488997-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1; H332 H315 H318 H400			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

**After inhalation**

Remove casualty to fresh air and keep warm and at rest.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.

Revision date:  
03.07.2018

**Multicor LH 3**  
**Article No.: 97120**

Page 3 of 9

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunk in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

When in doubt or if symptoms are observed, get medical advice.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

Full water jet.

**5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO<sub>2</sub>). Do not inhale explosion and combustion gases.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

See protective measures under point 7 and 8.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

See protective measures under point 7 and 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

**Advice on protection against fire and explosion**

No special measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

**7.3. Specific end use(s)**

Observe technical data sheet.

Revision date:  
03.07.2018

**Multicor LH 3**  
**Article No.: 97120**

Page 4 of 9

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL

**Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	urine	Post shift

**DNEL/DMEL values**

CAS No	Substance	DNEL type	Exposure route	Effect	Value
111-76-2	2-Butoxy-ethanol				
		Consumer DNEL, long-term	oral	systemic	3,2 mg/kg bw/day
		Consumer DNEL, acute	dermal	systemic	44,5 mg/kg bw/day
		Worker DNEL, acute	dermal	systemic	89 mg/kg bw/day
		Consumer DNEL, long-term	dermal	systemic	38 mg/kg bw/day
		Worker DNEL, long-term	dermal	systemic	75 mg/kg bw/day
		Consumer DNEL, acute	inhalation	local	123 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	local	246 mg/m <sup>3</sup>
		Consumer DNEL, acute	inhalation	systemic	426 mg/m <sup>3</sup>
		Worker DNEL, acute	inhalation	systemic	663 mg/m <sup>3</sup>
		Consumer DNEL, long-term	inhalation	systemic	49 mg/m <sup>3</sup>
		Worker DNEL, long-term	inhalation	systemic	98 mg/m <sup>3</sup>
1290049-56-7	amines, N-(C16-18 (even numbered) and C18-unsaturated alkyl) trimethylenedi-, ethoxylated (NLP)				
		Worker DNEL, long-term	inhalation	systemic	0,12 mg/m <sup>3</sup>
		Worker DNEL, long-term	dermal	systemic	0,017 mg/kg bw/day
		Consumer DNEL, long-term	inhalation	systemic	0,025 mg/m <sup>3</sup>
		Consumer DNEL, long-term	dermal	systemic	0,007 mg/kg bw/day
		Consumer DNEL, long-term	oral	systemic	0,007 mg/kg bw/day

Revision date:  
03.07.2018

**Multicor LH 3**  
**Article No.: 97120**

Page 5 of 9

**PNEC values**

CAS No	Substance	
Environmental compartment		Value
111-76-2	2-Butoxy-ethanol	
Freshwater		8,8 mg/l
Marine water		0,88 mg/l
Freshwater sediment		34,6 mg/kg
Marine sediment		3,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		463 mg/kg
Soil		3,13 mg/kg

**8.2. Exposure controls**
**Appropriate engineering controls**

See chapter 7. No additional measures necessary.

**Protective and hygiene measures**

When using do not eat, drink, smoke, sniff.

**Eye/face protection**

Eye glasses with side protection.

**Hand protection**

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

**Skin protection**

Protective clothing.

**Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	brown
Odour:	characteristic

**Test method**

pH-Value:	not applicable
-----------	----------------

**Changes in the physical state**

Melting point:	not determined
----------------	----------------

Initial boiling point and boiling range:	not determined
--	----------------

Pour point:	not applicable
-------------	----------------

Flash point:	> 61 °C	EN ISO 2719
--------------	---------	-------------

Lower explosion limits:	0,6 vol. %
-------------------------	------------

Upper explosion limits:	6,5 vol. %
-------------------------	------------

Ignition temperature:	not determined
-----------------------	----------------

Decomposition temperature:	No information available.
----------------------------	---------------------------

Vapour pressure:	not determined
------------------	----------------

Revision date:  
03.07.2018

**Multicor LH 3**  
**Article No.: 97120**

Page 6 of 9

Density (at 15 °C):	0,83 g/cm <sup>3</sup> DIN EN ISO 12185
Water solubility:	insoluble
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic: (at 20 °C)	8 mm <sup>2</sup> /s ASTM D 7042
Flow time:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

**9.2. Other information**

No information available.

**SECTION 10: Stability and reactivity**
**10.1. Reactivity**

No information available.

**10.2. Chemical stability**

No information available.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Heat.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No information available.

**SECTION 11: Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-Butoxy-ethanol				
	oral	LD50 mg/kg 470	Rat		
	dermal	ATE mg/kg 1100			
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			
1290049-56-7	amines, N-(C16-18 (even numbered) and C18-unsaturated alkyl) trimethylenedi-, ethoxylated (NLP)				
	oral	ATE mg/kg 500			
110-25-8	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine				
	oral	LD50 mg/kg >5000	Rat		
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			

Revision date:  
03.07.2018

**Multicor LH 3**  
**Article No.: 97120**

Page 7 of 9

**Irritation and corrosivity**

Causes skin irritation.  
Causes serious eye irritation.

**Sensitising effects**

Contains sulfonic acids, petroleum, calcium salts, TBN < 300. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways. (hydrocarbons, C 11-C14, isoalkanes, cyclics, <2% aromatics)

**Practical experience**
**Other observations**

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

**SECTION 12: Ecological information**
**12.1. Toxicity**

There are no data available on the mixture itself.

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
110-25-8	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine			
	Degree of elimination:	<80 %	28	
	Readily biodegradable (according to OECD criteria).			
	Chemical oxygen demand (COD)	2400 mg/g		

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
111-76-2	2-Butoxy-ethanol	0,81
110-25-8	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	3,5-4,2

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

No data available

**12.6. Other adverse effects**

No data available

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**
**Advice on disposal**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

**Waste disposal number of waste from residues/unused products**

Revision date:  
03.07.2018**Multicor LH 3****Article No.: 97120**

Page 8 of 9

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

**Contaminated packaging**

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.  
Marine pollutant: NO

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No data available

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 60 % (498 g/l)  
Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Water contaminating class (D): 3 - highly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,15.

**Abbreviations and acronyms**

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)



Revision date:  
03.07.2018

**Multicor LH 3**
**Article No.: 97120**

Page 9 of 9

IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 CAS: Chemical Abstracts Service (a division of the American Chemical Society)  
 DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 WEL (UK): Workplace Exposure Limits  
 TWA (EC): Time-Weighted Average  
 STEL (EC): Short Term Exposure Limit  
 ATE: Acute Toxicity Estimate  
 LD50: Lethal Dose, 50% (median lethal dose)  
 LC50: Lethal Concentration, 50% (median lethal concentration)  
 EC50: half maximal Effective Concentration  
 ErC50: EC50 in terms of reduction of growth rate  
 AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen  
 VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains sulfonic acids, petroleum, calcium salts, TBN < 300. May produce an allergic reaction.

**Further Information**

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*